




# WESTERN PINE MOULDING PATTERNS











FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS



# WESTERN PINE MOULDING PATTERNS



FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS













# WESTERN PINE MOULDING PATTERNS











FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS



# WESTERN PINE MOULDING PATTERNS



FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS











# WESTERN PINE MOULDING PATTERNS







FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS



# WESTERN PINE MOULDING PATTERNS



FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS








# WESTERN PINE MOULDING PATTERNS







FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS



# WESTERN PINE MOULDING PATTERNS



FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS









# WESTERN PINE MOULDING PATTERNS






FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS



# WESTERN PINE MOULDING PATTERNS



FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS








# WESTERN PINE MOULDING PATTERNS






FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS



# WESTERN PINE MOULDING PATTERNS



FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS








# WESTERN PINE MOULDING PATTERNS












FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS



# WESTERN PINE MOULDING PATTERNS



FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS





# WESTERN PINE MOULDING PATTERNS



FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS



Hollow Backs on patterns where shown will have the following dimensions unless indicated otherwise on the individual patterns.

Depth to be  $\frac{1}{16}$  inch using beveled corners.

Width to be  $\frac{3}{4}$  inch over  $1\frac{1}{2}$ " to 2".

Width to be  $1\frac{1}{8}$  inches over 2" to 3".

Width to be 2 inches over 3" to  $3\frac{5}{8}$ ".

Width to be  $2\frac{1}{2}$  inches over  $3\frac{5}{8}$ " to  $4\frac{1}{2}$ ".

Western Pine Association Grading Rules for Mouldings in effect at time of this publication are as follows:

## STANDARD MOULDINGS

(292) Standard Mouldings permit such defects as are usable for both interior and exterior trim. These may be light season checks, small pitch pockets, light torn grain, pin-size and small knots, medium stain or a small amount of medium pitch. A serious combination of these is not admissible in any one piece.

(293) On the basis of a 1x2"-12', this grade will admit the following characteristics or their equivalent.

- (a) A small spot of torn grain and one foot of medium pitch, or
- (b) One small and one very small pitch pocket, or
- (c) Two pin knots or a small knot together with one other minor defect, or
- (d) One short tight season check and a light snipe at one end, or
- (e) Medium stain for one-half the area in an otherwise perfect piece except that only light stain is admissible in Inside Mouldings when stain appears in any appreciable amount.

(294) Defects that will not show when piece is laid shall not be given the same consideration as defects elsewhere.

(295) Pieces requiring one cut not to exceed 4 inches of waste to eliminate a defect too serious to go in the grade are allowed in otherwise high-line pieces 12 feet and longer, but not more than 15 per cent of the cutting type is admissible in any one item.

(296) Lengths shall be 3 feet to 20 feet in multiples of 1 foot, not over 15 per cent under 8 feet in any one item and bundled separately.

# WESTERN PINE MOULDING PATTERNS



FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS



## WESTERN PINE ASSOCIATION

YEON BUILDING      PORTLAND 4, OREGON

### *These are the Western Pines*

- IDAHO WHITE PINE
- PONDEROSA PINE
- SUGAR PINE

### *These are the Associated Woods*

- DOUGLAS FIR   • WHITE FIR   • LARCH
- ENGELMANN SPRUCE   • WESTERN RED CEDAR
- INCENSE CEDAR   • LODGEPOLE PINE



# WESTERN PINE MOULDING PATTERNS



FULL SIZE DETAILS—ALL DIMENSIONS IN INCHES  
THESE ARE STANDARD PATTERNS



Digitized by



ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY,  
INTERNATIONAL  
[www.apti.org](http://www.apti.org)

BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

## WESTERN PINE ASSOCIATION

YEON BUILDING

PORTLAND 4, OREGON

### *These are the Western Pines*

- IDAHO WHITE PINE
- PONDEROSA PINE
- SUGAR PINE

### *These are the Associated Woods*

- DOUGLAS FIR • WHITE FIR • LARCH
- ENGELMANN SPRUCE • WESTERN RED CEDAR
- INCENSE CEDAR • LODGEPOLE PINE